

Charakteristika predkladaného výstupu tvorivej činnosti / Characteristics of the submitted research/ artistic/other output

Tlačivo VTC slúži na predkladanie výstupov tvorivej činnosti podľa metodiky hodnotenia tvorivých činností (časť V. Metodiky na vyhodnocovanie štandardov) / The form is used to submit the research/artistic/other outputs according to the evaluation methodology of research/artistic/other activities (part V. The Methodology for Standards Evaluation).

ID konania/ID of the procedure: ¹	
Kód VTC/Code of the research/artistic/other output (RAOO): ¹	

OCA1. Priezvisko hodnotenej osoby / Surname awarded to the assessed person ²	Švecová	
OCA2. Meno hodnotenej osoby / Name awarded to the assessed person ²	Danka	
OCA3. Tituly hodnotenej osoby / Degrees awarded to the assessed person ²	prof. MUDr. PhD	
OCA4. Hyperlink na záznam osoby v Registri zamestnancov vysokých škôl / Hyperlink to the entry of the person in the Register of university staff ³	https://www.portalvs.sk/regzam./detail/3448	
OCA5. Oblasť posudzovania / Area of assessment ⁴		
OCA6. Kategória výstupu tvorivej činnosti / Category of the research/ artistic/other output <i>Výber zo 6 možností (pozri Vysvetlivky k položke OCA6) / Choice from 6 options</i>	<i>vedecký výstup / scientific output</i>	
OCA7. Rok vydania výstupu tvorivej činnosti / Year of publication of the research/artistic/other output	2015	
OCA8. ID záznamu v CREPČ alebo CREUČ (ak je) / ID of the record in the Central Registry of Publication Activity (CRPA) or the Central Registry of Artistic Activity (CRAA) ⁵	http://www.crepc.sk/portal?fn=*review&uid=194855	
OCA9. Hyperlink na záznam v CREPČ alebo CREUČ / Hyperlink to the record in CRPA or CRAA ⁶		
* alebo CREUČ / Characteristics of the output that is not registered in CRPA or CRAA	OCA10. Hyperlink na záznam v inom verejne prístupnom registri, katalógu výstupov tvorivých činností / Hyperlink to the record in another publicly accessible register, catalogue of research/ artistic/other outputs ⁷	
	OCA11. Charakteristika výstupu vo formáte bibliografického záznamu CREPČ alebo CREUČ, ak výstup nie je vo verejne prístupnom registri alebo katalógu výstupov / Characteristics of the output in the format of the CRPA or the CRAA bibliographic record, if the output is not available in a publicly accessible register or catalogue of outputs	
	OCA12. Typ výstupu (ak nie je výstup registrovaný v CREPČ alebo CREUČ) / Type of the output (if the output is not registered in CRPA or CRAA) <i>Výber zo 67 možností (pozri Vysvetlivky k položke OCA12) / Choice from 67 options (see Explanations for OCA12).</i>	
	OCA13. Hyperlink na stránku, na ktorej je výstup sprístupnený (úplný text, iná dokumentácia a podobne) / Hyperlink to the webpage where the output is available (full text, other documentation, etc.)	
	OCA14. Charakteristika autorského vkladu / Characteristics of the author's contribution	Pemphigus vulgaris (PV) je autoimunitná pľugiernatá kožná choroba patriaca medzi raritné choroby. Podstata klinickej rôznorodosti ako aj rôznorodý klinický priebeh nie sú jasné. Klinická štúdia prispieva retrospektívnou analýzou k tejto problematike. Mapuje a hľadá súvislosti v klinickom priebehu pacientov s PV. ./Pemphigus vulgaris (PV) is an autoimmune blistering skin disease which is an orphan disease. The disease has heterogeneous clinical appearance and miscellaneous outcome. Clinical study contributed to this theme with retrospective analysis of patients with PV and performed research in outcome of disease in patients with PV.

Charakteristika výstupu, ktorý nie je registrovaný v CREPC	<p>OCA15. Anotácia výstupu s kontextovými informáciami týkajúcimi sa opisu tvorivého procesu a obsahu tvorivej činnosti a pod. / Annotation of the output with contextual information concerning the description of creative process and the content of the research/artistic/other activity, etc. ⁸</p> <p><i>Rozsah do 200 slov v slovenskom jazyku / Range up to 200 words in Slovak</i></p> <p><i>Rozsah do 200 slov v anglickom jazyku / Range up to 200 words in English</i></p>	<p>Retrospektívna klinická štúdia vyhodnocovala 44 pacientov s PV, ktorí boli monitorovaní od r.1993 do 2021. Na štatistickú analýzu súboru sa použil Mannov Whitneyho test a Kruskalov- Wallisov test. Survival údaje sa analyzovali pomocou Kaplanonovho-Maeierovho testu a long rank testom. Fisherov exaktný test sa použil na potvrdenie štatistickej významnosti ($p < 0.05$). 79.5% pacientov malo mukokutánný typ PV, pomer žien: mužov a bol 1.58 a zvýšil sa na 2.8 v prípade ťažkého PV. Rozdiel medzi pohlaviami a veku vzniku ochorenia bol štatisticky významný ($p = 0.05$). Početné prejavy na slizniciach a na iných miestach sa spájali s ťažkými mukokutánnymi typmi. Početné relapsy sa vyskytli častejšie u ťažkého typu ako u mierneho typu ($p = 0.001$). Survival remisie u žien bol dlhší ako u mužov ($p = 0.003$). /A retrospective analysis was conducted in 44 patients with PV who were monitored from 1993 to 2012. Statistical analyses were conducted using the Mann-Whitney test and Kruskal-Wallis test. Survival data were analyzed using Kaplan -Meier and long rank tests. Fisher's exact test was used to assess statistical significance at $p < 0.05$. 79.5% of patients were identified as having mucocutaneous PV. The female : male gender ratio was 1.58; in severe PV, this increased to 2.8. The difference between the genders in age at onset was statistically significant ($p = 0.05$). Furthermore, multiple mucosal involvements in the oral cavity and at other sites were associated with severe mucocutaneous PV. Multiple relapses occurred more frequently in patients with severe PV than in those with mild PV ($P = 0.001$). The remission survival of females was longer than that of males.</p>
--	---	---

<p>OCA16. Anotácia výstupu v anglickom jazyku / Annotation of the output in English⁹ <i>Rozsah do 200 slov / Range up to 200 words</i></p>	<p>A retrospective analysis was conducted in 44 patients with PV who were monitored from 1993 to 2012. Statistical analyses were conducted using the Mann-Whitney test and Kruskal-Wallis test. Survival data were analyzed using Kaplan-Meier and long rank tests. Fisher's exact test was used to assess statistical significance at $p < 0.05$. 79.5% of patients were identified as having mucocutaneous PV. The female : male gender ratio was 1.58; in severe PV, this increased to 2.8. The difference between the genders in age at onset was statistically significant ($p = 0.05$). Furthermore, multiple mucosal involvements in the oral cavity and at other sites were associated with severe mucocutaneous PV. Multiple relapses occurred more frequently in patients with severe PV than in those with mild PV ($P = 0.001$). The remission survival of females was longer than that of males. Poor prognosis factors include the severe mucocutaneous type of PV, especially in female patients, and multiple mucosal involvement in the oral cavity and other mucosal sites. Female patients were younger than male patients and were more often observed to have severe mucocutaneous PV and to have a higher median period of remission survival than male patients.</p>
<p>OCA17. Zoznam najviac 5 najvýznamnejších ohlasov na výstup / List of maximum 5 most significant citations corresponding to the output <i>Rozsah do 200 slov / Range up to 200 words</i></p>	<p>1/Kumar S, De D, Hnada S et al. Brit J Dermatol.2017; 177:1583-1589. (IF= 9,03). 2/Ujjie I, Ujjie H, Iwata H, Shimizu H. Brit J Dermatol. 2019;180: 1498-1505. (IF=9,03). 3/Welfriger-Morin A, Bekel L, Bellon N et al. J Eur Acad Dermatol Venereol. 2019; 33:1158-1163. (iF=6,166). 4/Kakuta R, Kurihara Y, Yamagami j et al. J Eur Acad Dermatol Venereol. 2020; 34:1324-1330. (iF=6,166).5/MaglioccaKR, Fitzpatrick SG. Surg Pathol Clin.2017; 10:57-88. (IF=2,07)</p>
<p>OCA18. Charakteristika dopadu výstupu na spoločensko-hospodársku prax / Characteristics of the output's impact on socio-economic practice <i>Rozsah do 200 slov v slovenskom jazyku / Range up to 200 words in Slovak</i> <i>Rozsah do 200 slov v anglickom jazyku / Range up to 200 words in English</i></p>	<p>Včas rozpoznať ťažký priebeh choroby PV môže pomôcť v stratégii liečby a ďalšom vývine choroby. Kvalita života týchto pacientov je veľmi nízka a choroba môže viesť až k invalidite pacienta. Táto štúdia je prvou štúdiou o klinickej rôznorodosti PV a podobná štúdia nebola uskutočnená ani v okolitých krajinách. /Early diagnostics of severe outcome of disease may help in strategy and treatment modality used in these patients. These patients possess low quality of life and the disease may flow into patient disability. This clinical study is the first study about heterogeneous appearance of PV in Slovakia. Furthermore, neighbourhood countries did not published clinical information clinical appearance of PV.</p>
<p>OCA19. Charakteristika dopadu výstupu a súvisiacich aktivít na vzdelávací proces / Characteristics of the output and related activities' impact on the educational process <i>Rozsah do 200 slov v slovenskom jazyku / Range up to 200 words in Slovak</i> <i>Rozsah do 200 slov v anglickom jazyku / Range up to 200 words in English</i></p>	<p>Oboznámenie sa s možným variatami klinického obrazu PV je kľúčovým momentom v zhodnotení ďalšieho priebehu choroby a určenia vhodnej liečby. Táto štúdia je prvou štúdiou o klinickej rôznorodosti PV a podobná štúdia nebola uskutočnená ani v okolitých krajinách. /The knowledge of all variants of clinical appearance of PV is the key moment in evaluation and strategy of outcome of disease and assessment of the suitable therapy management. This clinical study is the first about PV in Slovakia, neighbourhood countries did not published clinical information about PV. his clinical study is the first study about heterogeneous appearance of PV in Slovakia. Furthermore, neighbourhood countries did not published clinical information clinical appearance of PV.</p>

Švecová D. Pemphigus vulgaris: a clinical study of 44 cases over a 20-year period.

EPC – univerzitná databáza

<https://alis.uniba.sk:8444/lib/item?id=chamo:305683&fromLocationLink=false&theme=EPC>

SCOPUS

<https://www.scopus.com/record/display.uri?eid=2-s2.0-84942099707&origin=resultslist>

WOS

<https://www.webofscience.com/wos/woscc/full-record/WOS:000363401700022>

CREPČ 1

http://www.crepc.sk/portal?fn=*review&uid=1681135&pageId=resultform&full=0

[i7&pageId=resultform&full=0](#)